

CITY OF YONKERS / YONKERS PUBLIC SCHOOLS								One Larkin Center, 3rd Floor Yonkers, NY 10701 (914) 377-6030	
BUREAU OF PURCHASING									
BID DATE	February 17, 2023			*****Vendor # 1*****	*****Vendor # 2*****	*****Vendor # 3*****			
BID NO.	RFB-6904			Aria Contracting, Sales, & Services, Inc					
TITLE:	Purchase of one Lift-A-Load Elevating Platform			8350 Bee Ridge Rd. #343					
	Trailer #EPT4-514			Sarasota, FL 34241					
Buyer:	K. Schoenherr								
Bids Rec'd.:	1								
ITEM	QTY.	***ITEM DESCRIPTION***	UNIT PRICE	TOTAL COST	UNIT PRICE	TOTAL COST	UNIT PRICE	TOTAL COST	
1	1	Part Number EPT4-514 Lift-A-Load - 10,000 lbs. payload capacity, 14,765 lbs. GVWR, 4,765 lbs. Trailer Weight	\$37,200.00	\$37,200.00		\$0.00		\$0.00	
2	1	Part Number 12781 Ball Hitch 2 5/16"	\$0.00	\$0.00					
3	1	Part Number 12396 On Board Power (Battery, Charger/Maintainer)	\$0.00	\$0.00					
4	1	Part Number 03168 Hydraulic Pump Cover (Lockable)	\$0.00	\$0.00					
5	1	Part Number 03024 Aux. Battery Holder (Battery not Included)	\$0.00	\$0.00					
6	1	Part Number 09221 Tailgate Hand Winch	\$0.00	\$0.00					
7	1	Tie Down Rail System	\$0.00	\$0.00					
8	1	Black, Blue or Yellow Paint (please specify)	\$0.00	\$0.00		\$0.00		\$0.00	
9	1	Part Number 01147 Spare Tie Carrier	\$0.00	\$0.00		\$0.00		\$0.00	
10	1	Part Number 06610 Spare Tire and Wheel	\$0.00	\$0.00		\$0.00		\$0.00	
11	1	Part Number 09212 Extra D-Ring	\$0.00	\$0.00					
		Total Cost		\$37,200.00					



BUREAU OF PURCHASING
ONE LARKIN CENTER, 3rd Floor
YONKERS, NY 10701-3888
Telephone (914) 377-6030
Fax (914) 377-6032

COVER SHEET - INVITATION FOR BIDS

SOLICITATION & CONTRACT DOCUMENTS FOR:

Purchase of one Lift-A-Load Elevating Platform Trailer #EPT4-514, or Yonkers approved equal.

BID NUMBER: RFB-6904
OPENING DATE: FEBRUARY 17, 2023
TIME: 2:00 PM (PREVAILING TIME)
BOCS APPROVAL DATE: ASSIGNED BY PURCHASING
CONTRACT NO.: ASSIGNED BY PURCHASING

BOARD OF EDUCATION

Rev. Steve Lopez, President
Dr. Rosalba Corrado Del Vecchio, Vice President

Ms. Andrea Brown Mr. Kevin Cacace
Mr. Amjed I. Kuri Dr. John Castanaro
Ms. Gail Burns Ms. Rosemarie P. Linton
Ms. Sheila Greenwald

Dr. Edwin Quezada
Superintendent of Schools

BIDDER TO FILL OUT (PLEASE PRINT):

LEGAL NAME OF BIDDER: Aria Contracting Sales & Services, Inc.
ADDRESS: 4155 Southwell Way, Sarasota, Florida 34241
(P. O. Boxes are not acceptable)
CONTACT: Kristen Homan TITLE Vice President
PHONE NO.: 941-234-1448 FAX: 941-234-1497
EMAIL: khoman@ariaess.com
DATE: February 17, 2023

DO NOT RETURN ENTIRE BID PACKAGE -

ONLY RETURN WHAT IS LISTED IN THE "INFORMATION FOR BIDDERS", PAGE 6

COMPLETE THIS FORM IN INK

BID NO.: 6904

BID SCHEDULE OF PRICES – ITEMIZED - SEE SCHEDULE “B”

Item Award ☐

Class Award ☒

For furnishing and delivering the specified goods or services, which includes, without limitation all freight charges, demurrage, insurance, packaging, machinery, tools, labor, services, skill and other items of whatever nature required to fulfill the obligations under the resultant Contract, the Bidder agrees to accept in full compensation therefore the amount of the total bid sum of:

TOTAL BID FOR ITEMS 1 TO 11, INCLUSIVE, THE SUM OF:

PLEASE PRINT:

Written in Words: Thirty seven thousand and two
hundred Dollars and zero Cents

Written in Figures: \$ 37,200.00

Discount for Prompt Payment: 0 % N/A Days, Net 30.

The Bidder hereby acknowledges receipt of all Solicitation Documents and Addenda through and including Addendum number None (Bidder to insert number of last Addendum received.)

Availability: 120 Days ARO

Contractor: Aria Contracting Sales & Services, Inc

Address of Bidder: 4155 Southwell Way
Sarasota, FL 34241

Is this business a Certified Minority / Women Business Enterprise in New York State?

☐ Yes ☒ No

Prepared By: Kristen Homan

Title: Vice President

Signature: [Signature] Telephone No.: 941.417.0300

Fax No.: 941.234.1497

E-Mail: khoman@ariacss.com Date: February 17, 2023

SCHEDULE "B :- BID SCHEDULE OF PRICES

ITEM	(A) ESTIMATED QUANTITY	DESCRIPTION - ITEMS WITH UNIT BID PRICES WRITTEN IN WORDS	(B) UNIT BID PRICES DOLLARS/CENTS		(C) TOTAL AMT. BID DOLLARS/ CENTS (AXB=C)	
1	1	<p>Part Number EPT4-514 Lift A Load; or Equal a. 10,000 lbs. Payload Capacity b. 14,765 lbs. GVWR c. 4,765 lbs. Trailer Weight d. Inside bed dimensions: 74" W x 14' L</p> <p><u>Thirty seven thousand two hundred</u> Dollars And <u>000.00</u> Cents.</p> <p>Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding:</p> <p>MFR Name: <u>Four Degree Trailer Company</u> Model No: <u>EPT4-514 Lift A Load</u> <u>Part Number</u> Lead Time Availability after receipt of order: <u>120</u> days ARO</p>	37,200.	00	37,200.	00
2	1	<p>Part Number 12781 Ball Hitch 2 5/16"; or Equal</p> <p><u>No Charge</u> Dollars And <u>No Charge</u> Cents</p> <p>Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding:</p> <p>MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 12781</u></p> <p>Lead Time Availability after receipt of order: <u>120</u> days ARO</p>	00,000.	00	00,000.	00
3	1	<p>Part Number 12396 On Board Power (Battery, Charger/Maintainer); or Equal</p> <p><u>No Charge</u> Dollars And <u>No Charge</u> Cents</p> <p>Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding:</p> <p>MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 12396</u></p> <p>Lead Time Availability after receipt of order: <u>120</u> days ARO</p>	00,000.	00	00,000.	00

LEGAL NAME OF CONTRACTOR: Arria Contracting Sales' Services, Inc.

SCHEDULE "B" - BID SCHEDULE OF PRICES

ITEM	(A) ESTIMATED QUANTITY	DESCRIPTION - ITEMS WITH UNIT BID PRICES WRITTEN IN WORDS	(B) UNIT BID PRICES DOLLARS/CENTS	(C) TOTAL AMT. BID DOLLARS/ CENTS (AXB=C)
4.	1	Part Number 03168 Hydraulic Pump Cover (Lockable); or Equal <u>No Charge</u> Dollars And <u>No Charge</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 03168</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	\$00,000.00	00,000.00
5.	1	Part Number 03024 Aux. Battery Holder (Battery not Included); or Equal <u>No Charge</u> Dollars And <u>No Charge</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 03024</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	\$00,000.00	00,000.00
6.	1	Part Number 09221 Tailgate Hand Winch; or Equal <u>No Charge</u> Dollars And <u>No Charge</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 09221</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	\$00,000.00	00,000.00
7.	1	Tie-Down Rail System; or Equal <u>No Charge</u> Dollars And <u>No Charge</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number N/A</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	\$00,000.00	00,000.00

LEGAL NAME OF CONTRACTOR: Aria Contracting Sales & Services, Inc.

SCHEDULE OF "B" - BID SCHEDULE OF PRICES						
ITEM	(A) ESTIMATED QUANTITY	DESCRIPTION - ITEMS WITH UNIT BID PRICES WRITTEN IN WORDS	(B) UNIT BID PRICES		(C) TOTAL AMT. BID	
			DOLLARS/CENTS		DOLLARS/ CENTS (AXB=C)	
8.	1	Black, Blue or Yellow Paint (please specify); or Equal <u>No Change</u> Dollars And <u>No Change</u> Cents Bid Exact? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number: N/A</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	109,000.	00	09,000.	00
9.	1	Part Number 01147 Spare Tire Carrier; or Equal <u>No Change</u> Dollars And <u>No Change</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 01147</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	100,000.	00	00,000.	00
10.	1	Part Number 06610 Spare Tire and Wheel; or Equal <u>No Change</u> Dollars And <u>No Change</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 06610</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	100,000.	00	00,000.	00
11.	2	Part Number 09212 Extra D-Ring (\$50 per Tie Down); or Equal <u>No Change</u> Dollars And <u>No Change</u> Cents Bid Exact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Vendor shall state the make and model they are bidding: MFR Name: <u>Four Degree Trailer Co.</u> Model No: <u>Part Number 09212</u> Lead Time Availability after receipt of order: <u>120</u> days ARO	00,000.	00	000,000.	00

LEGAL NAME OF CONTRACTOR: Aria Contracting Sales & Services Inc.

TOTAL BID - ITEMS 1 to 11, INCLUSIVE:


PLEASE PRINT

WRITTEN IN WORDS: Thirty Seven Thousand Two Hundred Dollars 00 Cents

WRITTEN IN FIGURES: \$ 37,200.00

LEGAL NAME OF CONTRACTOR: Aria Contracting Sales Services, Inc.

ADDRESS: 4155 Southwell Way
Sarasota, FL 34241

PREPARED BY: Kristen Homann 

TITLE: Vice President


TELEPHONE NO.: 941-234-1443

EMAIL: khomann@ariacss.com

DATE: February 17, 2023

Lift-A-Load EPT4-514 Trailer

Ground Level and Dock Height Loading/Unloading




Dock Level Loading




The Lift-A-Load Trailer Deck remains level at all heights between ground level or dock height, for safe, easy loading and expedited delivery of low ground clearance and static loads.

Features

- Level Loading up to 52" Dock Height
- Rubber over Hydraulic Suspension
- Minimal loading angle with integrated ramp
- 2-Year Warranty



Ground Level Loading



EPT4-514 - Part No. 17000

(A) Overall Width	(B) Overall Length	(C) Usable Deck Width	(D) Usable Deck Length	(E) Load Angle*	(F) Deck Height (Fully Raised)
102" (259 cm)	294" (747 cm)	74" (188 cm)	168" (427 cm)	8°	52" (132.08 cm)

*No load angle at dock height

Loads & Weights:

- Payload Capacity 10,000 lbs (4,536 kg)
- GVWR 14,765 lbs (6,697 kg)
- Trailer Weight 4,765 lbs (2161 kg)
- Load per axle 6,000 lbs (2,721 kg)
- Hitch (standard) Load..... 2,748 lbs (1,246 kg)

Misc.:

- On Board Power (Hyd. Pump, Battery, & 10 Amp Charger-Maintainer)
- Tires are ST235/80R/16LRE / 10 Ply / Rated 3,520 lbs @ 80 PSI @ 75 MPH

Trailer Frame:

- Frame (side) Rails are 3/16" (4.6 mm) ASTM 500 Grade B
- Side Rails utilize distinctive shapes for unlimited tie-down locations
- Framework (crossmembers) constructed of ASTM A36 Steel Plates - Formed to a 1.5" x 4" (38 x 102 mm) "L" Shape for maximum strength with minimum weight
- Crossmembers are spaced on 12" (305 mm) centers for maximum strength - Preventing deck warping
- 3/16" (4.8 mm) Diamond Plate (Grade 55) Decking - Added strength and a non-slip surface

Options:

- Spare Tire and Carrier
- Special Paint Color (Black, Blue, and Yellow are standard colors)
- 8,000 lb (3,629 kg) Cargo Winch
- Extra D-Ring / Tie Downs
- E-Track Package (48" Height)
- Star Track Decking
- Aluminum Wheels
- Solar Battery Charger
- Steel Side Boards with Built-In Tie Downs

Electrical:

- LED Lighting with Dedicated Ground Circuit
- 7-Pin Round RV Connector
- Electric Brakes on all Axles

Specifications may change without prior notice.



www.fourdegreetrailer.com | info@fourdegreetrailer.com

Four Degree Trailer Company

3726 US Hwy 34 | Kewanee, IL 61443
Toll-Free: 1-800-369-5365

A subsidiary of Rhino Tool Company



Scan QR for Videos



Form EPT4-514_10/18/22



Drop Deck and Elevating Platform Trailers

both models designed to load/unload at ground level with minimal deck angle
Expedite Deliveries and Increase Operator Safety

Lift-A-Load Elevating Platform Trailer

Ground and Dock Height Loading



Ground & Dock Loading

for Safe, Fast, and Easy equipment deliveries

EXPEDITE deliveries and INCREASE safety

Level loading from the
ground, up to 52" Docks

- Dependable hydraulic system gently lowers deck for ground level loading, and raises the deck to any dock height (up to 52") for fast, easy, and safe equipment unloading and loading.
- Tailgate/Ramp is operated by a winch to eliminate manual lifting.
- Increase operator safety and reduce delivery times.
- Level loading at either ground level or dock height increases safety and avoids equipment damage.
- Trailer deck remains level at all times so payload safely stays in-place until secured for transportation.
- Ideal for handling scissor lifts, forklifts, floor scrubbers & sweepers, order pickers, pallet jacks, compactors, and static loads like safes – To name a few.

LIFT-A-LOAD
ELEVATING PLATFORM TRAILERS



Scan QR for Videos

Lift-A-Load Models	Payload Capacity (lbs)	GVWR (lbs)	Trailer Weight (lbs)	Total Length	Deck Length	Deck Width	No. of Axles
EPT2-212	4,400	7,352	2,952	22' 3"	12'	6' 2"	1
EPT4-314	7,500	11,665	4,165	24' 6"	14'	6' 2"	2
EPT4-316	7,500	11,868	4,368	26' 6"	16'	6' 2"	2
EPT4-514	10,000	14,765	4,765	24' 6"	14'	6' 2"	2
EPT4-516	10,000	14,968	4,968	26' 6"	16'	6' 2"	2
EPT4-716	15,000	21,412	6,412	26' 8"	16'	6' 2"	2

Lo Riser Drop-Deck Trailer

Ground-Level Loading - Receiver/Bumper Hitch



4-Degree Deck Angle

for FAST & EASY loading/unloading of low ground-clearance equipment and vehicles

NO ramps
or lifting

**Improve Operator
Safety and Reduce
Delivery Time**

LO-RISER
4° INCLINING TRAILER





Scan QR for Videos

- No beavertail, or crown, creating a hump that could affect (bottom-out) low ground clearance equipment.
- No ramps & No lifting – Hydraulically operated deck gently lowers to ground level to reduce delivery times and improve the safety of both the operator and the equipment.
- Constructed from HSLA (High Strength Low Alloy Steel) for extended trailer life and an improved payload to trailer weight ratio - Increasing load capacity without increasing GVWR.
- A mere 3/16" lip, and a 4-degree angle, easily accommodates any rolling load, even a pallet jack - a task that cannot be done with ramped trailers.
- Unique rubber/hydraulic suspension absorbs the energy from bumps and uneven roads for improved control and a superior ride - Reducing wear on the tow vehicle (and operator), trailer, and payload.
- Ideal for handling scissor lifts, forklifts, floor scrubbers & sweepers, order pickers, pallet jacks, compactors, etc.
- A choice of payload capabilities from 6,000 lbs. to 22,000 lbs.

Lo Riser Gooseneck Drop-Deck Trailer

Ground-Level Loading - Gooseneck Hitch



Improve Control

**Shift hitch load directly over the rear wheels –
Increasing payload, maneuverability, and stability.**

Lo Riser Models	Payload Capacity (lbs)	GVWR (lbs)	Trailer Weight (lbs)	Total Length	Deck Length	Deck Width	No. of Axles
IPT2-312	6,000	8,565	2,565	18' 6"	12' 8"	6' 2"	1
IPT4-516	10,000	13,565	3,565	22' 1"	16'	6' 2"	2
IPT4-616	12,000	15,565	3,565	22' 1"	16'	6' 2"	2
IPT4-716	14,000	17,790	3,790	22' 1"	16'	6' 2"	2
IPT4-816	16,000	19,790	3,790	22' 1"	16'	6' 2"	2

Lo Riser Gooseneck Models	Payload Capacity (lbs)	GVWR (lbs)	Trailer Weight (lbs)	Total Length	Deck Length	Deck Width	No. of Axles
IPG4-516	10,000	14,190	4,190	23' 10"	16'	6' 2"	2
IPG4-616	12,000	16,190	4,190	23' 10"	16'	6' 2"	2
IPG4-716	14,000	18,415	4,415	23' 10"	16'	6' 2"	2
IPG4-816	16,000	20,415	4,415	23' 10"	16'	6' 2"	2

Lo Riser Gooseneck Models	Payload Capacity (lbs)	GVWR (lbs)	Trailer Weight (lbs)	Total Length	Deck Length	Deck Width	No. of Axles
IPG6-920	18,000	24,250	6,250	29' 11"	22'	6' 2"	3
IPG6-1020	20,000	26,250	6,250	29' 11"	22'	6' 2"	3
IPG6-1120	22,000	28,475	6,475	29' 11"	22'	6' 2"	3

Standard Features




Adjustable Coupler

4 position coupler/ball hitch accommodates a variety of tow vehicle – Assuring a level trailer.



4-Degree Loading

No crown and a 4-degree loading angle (Lo Riser) allows easy loading of all low-ground clearance, and minimal ramp climbing-capable, equipment – Safely and quickly.




On-Board Power

(battery, charger, and maintainer) eliminates the need for a special connection to the tow vehicle for trailer operation. (Lo Riser Model Shown)



Construction

High Strength Low Alloy Steel (Lo Riser) for durability and assurance that the decking will not bow/sag over time. It also provides the best payload to trailer weight ratio - allowing more load capacity per GVWR.




Suspension System

Unique Rubber/Hydraulic Suspension systems absorbs the energy from bumps and uneven roads to provide better control and a smoother ride than conventional trailers. Reducing travel stress on the tow vehicle & operator, trailer, and payload.



New products manufactured by Four Degree Trailer Company, are warranted against defects in materials and workmanship for two (2) years from the date of original purchase, when used as intended under normal operating conditions.

Visit www.fourdegreetrailer.com/warranty for more information.




Winch

4,000, 8,000, and 12,000 lb. capacity - depending on trailer model.



E-Track Package

The optional E-Track Package simplifies delivery and provides additional containment for awkward loads.



Spare Tire & Mounting Bracket

Other Options Available

I love our Lift-A-Load. Much easier to load and unload than our previous tilt trailer. Well built and easy to use.

Barron Equipment Company and
Overhead Doors
Davenport, IA

"We have a multitude of rubber track-mounted drill rigs that we are continuously moving from job site to job site, and our Lo Riser trailers have turned this into a very safe and efficient practice. We no longer need to use awkward ramps. The Lo Riser does the work for us."

Discovery Drilling
Anchorage, AK

**Contact
us**

at **800-369-5365**
or **info@fourdegreetrailer.com**

Financing available

Let us help you upgrade to a new Four Degree Trailer



www.fourdegreetrailer.com

**Four Degree
Trailer Company**

3726 US Hwy 34
Kewanee, IL 61443

A subsidiary of Rhino Tool Company





Four Degree Trailer Company – Limited Warranty

New products manufactured by Four Degree Trailer Company, are warranted against defects in materials and workmanship for two (2) years from the date of original purchase, when used for their intended purpose and under normal operating conditions.

Component parts that are manufactured by others, and are incorporated into Four Degree products, carry the same warranty as offered by the component manufacturer.

Warranty is limited to parts and the labor required to repair, or replace, the defective component.

Warranty does not include labor, or lost time, resulting from product failure.

Warranty does not include freight for repair parts, or transportation charges to and from a repair facility.

Warranty is void if maximum load of trailer is exceeded, and if abuse is evident.

State of Florida

Department of State

I certify from the records of this office that ARIA CONTRACTING SALES & SERVICES, INC. is a corporation organized under the laws of the State of Florida, filed on April 21, 2022, effective April 21, 2022.

The document number of this corporation is P22000034527.

I further certify that said corporation has paid all fees due this office through December 31, 2022 and that its status is active.

I further certify that said corporation has not filed Articles of Dissolution.

*Given under my hand and the
Great Seal of the State of Florida
at Tallahassee, the Capital, this
the Tenth day of November, 2022*




Secretary of State

Tracking Number: 2184171127CU

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

<https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication>