

YmHS

DAKTRONICS QUOTE # 696281-2-1-Optional Physical Install MAIN ATTACHMENT A

CUSTOMER RESPONSIBILITIES

General

- 1) Secure necessary sign permits, as required.
- 2) Secure necessary construction permits, as required.
- 3) Customer is responsible to ensure the existing structure/building is adequate, including any necessary modifications, for the installation of the Equipment, including but not limited to (i) obtaining certified engineer drawings to the extent required by law and (ii) providing Daktronics, upon reasonable request, documentation relating to the existing structure and modifications necessary for Daktronics perform its work.
- 4) Mark location of the new Equipment as delineated in the quote.
- 5) Provide all required floor protection.

Structures

- 1) Provide and install shot clock brackets and hardware.

Electrical & Data

- 1) Provide primary power conductors for each piece of Equipment to within three (3) feet of Equipment location. Primary power per all applicable electrical codes and regulations and shall include; transformer, electrical disconnect, panel board with over current protection, J-boxes, receptacles, power drop cords as applicable per Equipment location and product specifications. Provide all required breakers based on the Equipment electrical loads.

Product/Equipment

- 1) Provide storage of all Equipment and control equipment in a safe, dry, and secure location until installation.
- 2) Required power outlets on clean dedicated circuit(s) for all control equipment.
- 3) Remove or relocate existing flags, banners, acoustical paneling, conduit, etc. to provide adequate clear space for the mounting of new equipment directly to the wall.

DAKTRONICS RESPONSIBILITIES

General

- 1) Removal and disposal of existing equipment.

Structures

- 1) Not applicable

Electrical & Data

- 1) Provide secondary power conduits, conductors and power hook-up from the J-box within three (3) feet of Equipment location to all Daktronics supplied load centers/termination panel at/within the Equipment.

Product/Equipment

- 1) Accept, lift, unload, and inspect all Equipment and control equipment from carrier.
- 2) Lift and mount Equipment listed in this quotation.

QUALIFICATIONS/CLARIFICATIONS

- 1) **Access:** Daktronics requires unobstructed access to Equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included.
- 2) **Electrical:** The maximum voltage is 120 volts line to neutral for all Equipment in this quotation.
- 3) **Existing Conduit:** Costs to repair or replace damaged or obstructed conduit have not been included in this quote.
- 4) **Damages and Wages:** Liquidated damages, prevailing wages, certified payroll or union labor have not been included in the installation pricing.
- 5) **Equipment Mounting:** Equipment is expected to mount to CMU block or concrete wall without the need of sub-structure or blocking.
- 6) **Interior Equipment:** The bottom of the Equipment will be placed at an elevation between ten (10) feet to fifteen (15) feet above the finished floor.

*May
Gunder*
*Nesau
Bros*
*hall
contract*